EVALUATION OF MORAL INTELLIGENCE OF HEALTHCARE PROFESSIONALS VIA THE “SURVEY FOR MEASURING MORAL INTELLIGENCE IN THE PROVISION OF HEALTHCARE SERVICES”

Hulya Ozturk¹, Omur Sayligil², Zeki Yildiz³

Abstract: Moral intelligence -through which an individual makes mental evaluation before taking action about a decision- is important in individual-centered healthcare. Using Lawshe Method, we designed the “Survey for Measuring Moral Intelligence in the Provision of Healthcare Services” with “equality”, “empathy”, “moral intelligence”, “justice”, “tolerance”, “self-control”, and “politeness” dimensions ($\alpha = .966$). Age of the population (physicians and nurses) was 36.44 ± 9.52 , consisting 517 (65.5%) women, 538 married participants, 653 employed in public hospitals, and 352 had work experience of <10 years. All participants were moral intelligence-sensitive. Those who had children, worked in a private organization, and had longer work experience were more sensitive with regard to “equality”, which varied by marital status, frequency of working outside normal working hours, and age groups. “Politeness” varied between participants that have worked for >8 hours/day. Using dimensions of this survey as skills is expected to ensure due diligence about rights and dignity in healthcare services.

Keywords: moral intelligence, clinical ethics, healthcare

Evaluación de la inteligencia moral de profesionales de la salud a través de la “Encuesta para medir la inteligencia moral en la prestación de servicios de salud”

La inteligencia moral, mediante la cual un individuo realiza una evaluación mental antes de tomar medidas sobre una decisión, es importante en la atención médica centrada en el individuo. Usando el método Lawshe, diseñamos la “Encuesta para medir la inteligencia moral en la provisión de servicios de salud” con dimensiones de “igualdad”, “empatía”, “inteligencia moral”, “justicia”, “tolerancia”, “autocontrol” y “cortesía” ($\alpha = .966$). La edad de la población (médicos y enfermeras) era de 36.44 ± 9.52 , que consistía en 517 (65,5%) mujeres, 538 participantes casados, 653 empleados en hospitales públicos y 352 tenían una experiencia laboral de <10 años. Todos los participantes eran sensibles a la inteligencia moral. Los participantes que tenían hijos trabajaban en una organización privada, y los que tenían una experiencia laboral más larga eran más sensibles respecto de la “igualdad”, que variaba según el estado civil, la frecuencia de trabajo fuera del horario normal de trabajo y los grupos de edad. La “cortesía” varió entre los participantes que han trabajado durante >8 horas/día. Se espera que el uso de las dimensiones de esta encuesta como habilidades garantice la debida diligencia sobre los derechos y la dignidad en los servicios de atención médica.

Palabras clave: inteligencia moral, ética clínica, atención médica

Avaliação da inteligência moral de profissionais de saúde via “Levantamento para Medir a Inteligência Moral na Provisão de Serviços de Cuidados à Saúde”

Resumo: Inteligência moral —através da qual um indivíduo faz uma avaliação mental antes de agir frente a uma decisão— é importante em cuidados à saúde centrados na pessoa. Usando o Método Lawshe, nós elaboramos o “Levantamento para Medir a Inteligência Moral na Provisão de Serviços de Cuidados à Saúde” com as dimensões “igualdade”, “empatia”, “inteligência moral”, “justiça”, “tolerância”, “autocontrole” e “polidez” ($\alpha = .966$). A idade da população (médicos e enfermeiras) foi 36.44 ± 9.52 anos, consistindo de 517 (65,5%) mulheres, 538 participantes casados, 653 empregados em hospitais públicos e 352 tinham experiência de trabalho <10 anos. Todos os participantes eram sensíveis à inteligência moral. Os que tinham crianças trabalhavam em organização privada e tinham mais anos de experiência de trabalho, eram mais sensíveis com respeito à “igualdade”, que variava em função do estado civil, frequência de trabalho fora do horário normal e faixas etárias. “Polidez” variou entre participantes que tinham trabalhado por >8 horas/dia. Usando dimensões deste levantamento como habilidades, espera-se que garanta a devida prestação sobre direitos e dignidade em serviços de cuidados à saúde.

Palavras chave: inteligência moral, ética clínica, cuidados à saúde

¹ Eskisehir Osmangazi University, History of Medicine and Ethics, Eskisehir Turkey. ORCID: 0000-0001-8999-4213

Correspondence: hulyaozturk33b@gmail.com

² Eskisehir Osmangazi University, History of Medicine and Ethics, Eskisehir Turkey. ORCID: 0000-0001-7517-7503

³ Eskisehir Osmangazi University, Department of Statistics, Eskisehir Turkey. ORCID: 0000-0003-1907-2840

Introduction

Moral intelligence has so far been defined as “the capacity to understand right from wrong”, as “the mental capacity to determine how universal human principles should be applied to our values, goals, and actions”(1,2) and as a type of intelligence that focuses on impelling professionals and experts to use some skills in the business world(3).

M. Borba defined seven parameters of moral intelligence, i.e. empathy, respect, fairness, politeness, tolerance, self-control, and conscience; and Lennick and Kiel defined four parameters, i.e. integrity, responsibility, compassion, and forgiveness(2,4).

Medical practices are, by their nature, intermingled with value problems. There is a need for medical ethics at this point. Limitations, playing a central role in showing goodwill and using knowledge, are required by healthcare professionals to manage any ambiguities and decision-making processes(2,5,6).

Healthcare requires not only technical knowledge but also effective communication skills from providers. Healthcare professionals are required make a holistic assessment of patients rather than focus only on disorders to obtain better results from treatment. Patients are able to express themselves more explicitly and clearly when healthcare professionals empathize with and show respect to patients, approach them with sense of justice, and are more tolerant, conscientious and polite(2,5,6).

Patient satisfaction is likely to increase when healthcare professionals communicate with patients using moral intelligence parameters in diagnosis and treatment.

2. Participants and methods

2.1. Type of research: This study was conducted to find out viewpoints on moral intelligence and its parameters of healthcare professionals employed in Eskişehir.

2.2. Population and sample of research: Physicians and nurses employed in Eskişehir were invited to participate in this study. A sampling

method was used to save time and reduce costs. Stratified sampling was used to ensure that participants with various sociocultural and socioeconomic background were represented in the study(7). The sample size was calculated by taking into consideration the total number of physicians and nurses working in public and private hospitals in Eskişehir.

Total Number of Physicians in Eskişehir: 1469

Total Number of Nurses in Eskişehir: 1989

Sample size for physicians: 305 (384 considering an attrition rate of 25%)

Sample size for nurses: 322 (405 considering an attrition rate of 25%)

About 1000 volunteers received and replied the survey form. Data from 789 professionals that replied all questions in the survey were used in this study.

2.3. Data-collecting instruments and method:

The review of literature showed that there was no survey to measure moral intelligence and its parameters in the field of healthcare. Thus, this study set out to develop a new survey considering that characteristics of moral intelligence parameters – equality, empathy, conscience, justice, tolerance, self-control and politeness – differ from one culture to another and are of particular importance in the provision of healthcare services. C. H. Lawshe method was used to develop the survey(8,9).

The survey developed for the purpose of this study consists of two parts. The first part (Socio-demographic Survey Form) comprises ten questions regarding healthcare professionals' socio-demographic characteristics. The second part seeks healthcare professionals' opinions on moral intelligence parameters. All individual items in the survey were designed in the form of 5-point Likert statements (1-Strongly disagree, 2-Disagree, 3-Partially agree, 4-Agree, 5-Strongly agree). The Eigenvalues and the percentage of variance explained in the Exploratory Factor Analysis (EFA) results suggest that the “Survey for Measuring Moral Intelligence in the Provision of Healthcare Services” con-

sists of 47 items and 7 factors.

Confirmatory Factor Analysis (CFA) was performed on LISREL 8.80 in order to test how well the predefined construct was consistent with data collected in the study(10-12). In CFA, primarily, *t* values that indicate the significance of parameter estimates related to paths in the model are tested in order to determine whether a theoretical model is statistically significant and adequate. A *t* value greater than 1.96 is required for significance at 0.05, and greater than 2.58 is required for significance at 0.01. For 47 items of the scale, *t* values were greater than 1.96 and thus significant(11,12). According to EFA and CFA results, the survey consists of seven dimensions named as equality, empathy, moral intelligence, justice, tolerance, self-control, and politeness⁴.

2.4. Statistical methods used in data analyses:

Frequency analysis was used for socio-demographic data analysis, and chi-square tests were used for comparison of socio-demographic data. Normality testing was conducted to determine whether there was a difference between the groups. As the groups did not show normal distribution, non-parametric Mann-Whitney U and Kruskal-Wallis tests were used to determine the difference between the groups.

Findings

Distribution of the participants by socio-demographic characteristics

Table 1 presents the distribution of socio-demographic characteristics of healthcare professionals that participated in this study.

The data in Table-1 show that the average age of healthcare professionals was 36,44±9.52. Furthermore, 65,5% of the participants were women, and 34,5% were men; 68,2% were married, and 31,8% were single or divorced; 61.5% had children while 38.5% did not.

Table 2 indicates that the participants attached great importance to the factor of equality. Fur-

thermore, empathy, moral intelligence, justice, tolerance, self-control and politeness were also important for the healthcare professionals.

Mann-Whitney U Test Results for the “Survey for Measuring Moral Intelligence in the Provision of Healthcare Services”

Mann-Whitney U test was used to compare two independent groups, i.e. groups determined according to socio-demographic characteristics of the participants, with a view to seeing whether there was any difference between the groups regarding each dimension of the survey.

The distribution of female and male participants' factor scores was tested at 5% significance level, and no significant difference was found between women and men with regard to factor scores ($p>0,05$) (Table-3)

Having children was a factor that affected only the sub-scale of equality ($p<0,05$). The mean ranks indicated that the participants with children had higher scores than the participants without children (Table-3).

There was a significant difference between the participants employed in the public sector and the private sector with regard to equality and justice ($p<0,05$). The mean ranks showed that those working in the private sector had higher scores than those in the public sector (Table-3).

Test statistics results showed that there was no difference with regard to factor scores between the participants who had a family member receiving continuous healthcare and who did not have such a family member($p>0,05$)(Table-3).

Variance analysis results for the “Survey for Measuring Moral Intelligence in the Provision of Healthcare Services”

Kruskal-Wallis variance analysis was used compare more than two independent groups, i.e. groups determined according to socio-demographic characteristics of the participants, with a view to seeing whether there was any difference between the groups regarding each dimension of the survey.

⁴ Permission was received from the Board of Ethics for Non-pharmacological Clinical Research in the Faculty of Medicine at Eskisehir Osmangazi University (July, 22, 2015 80558721/G-25). Written informed Consent of the participants was taken.

Paired comparisons were conducted for the factors that differed significantly by demographic characteristics of the participants.

In paired comparisons, the rank score of the group i is $\bar{R}_i$, and the rank score of the group j is $\bar{R}_j$. Thus, if the following equation is obtained, there is a difference between the groups i and j . Otherwise, there is no difference between the groups.

$$\sigma_{\bar{R}_i - \bar{R}_j} = \sqrt{\left(\frac{N(N+1)}{12} \left(\frac{1}{n_i} + \frac{1}{n_j} \right) \right)}$$

$$\frac{|\bar{R}_i - \bar{R}_j|}{\sigma_{\bar{R}_i - \bar{R}_j}} > \sqrt{\chi^2_{\alpha; (k-1)}}$$

The results suggested that marital status of the participants had significant effects on their responses with regard to equality ($p < 0,05$), moral intelligence ($p < 0,05$), and justice ($p < 0,05$) (13,14). Paired comparisons were conducted to test which marital statuses caused the significant difference with regard to equality, moral intelligence and justice (Table-4)

Test statistics regarding the relationship between marital status and equality showed that “single-married” and “single-divorced” groups had a significant effect on the difference ($p < 0,05$). Test statistics regarding the relationship between marital status and moral intelligence showed that “single-divorced” and “married-divorced” individuals caused the difference ($p < 0,05$). There was a significant difference in factor scores of justice only between “married” and “divorced” individuals ($p < 0,05$) (Table-4)

Table-4 indicates that there was a significant difference in empathy between income level groups ($p < 0,05$). The difference derives from the factor scores of the participants with “high” and “low” income ($p < 0,05$).

Table-4 further suggests that there was a significant difference in the perception of equality between the groups defined according to working hours ($p < 0,05$). However, paired comparisons

did not show which groups caused the difference. There was also a significant difference with regard to politeness between the groups defined according to working hours ($p < 0,05$). The difference resulted from the factor scores of healthcare professionals working “8 hours” and “10 hours” per day ($p < 0,05$).

Moreover, there was a significant difference in equality scores between the groups defined according to the frequency of working outside normal working hours ($p < 0,05$). This resulted from the difference between “1 time-5 times”, “3 times-none” and “4 times-none” groups ($p < 0,05$) (Table-4).

The table-4 also shows that there was a significant difference in equality scores between the age groups ($p < 0,05$), and that the difference derived from the difference between “15-29 age group-45-59 age group” and “30-44 age group-45-59 age group” ($p < 0,05$).

Discussion and conclusion

A good many of studies on intelligence reveal the correlation between leadership and intelligence (2,15-17). In workplaces, individuals with greater moral awareness have developed better skills to create an ethical climate and to use cognitive and behavioral intelligence more positively than other employees (3).

Healthcare professionals frequently have to go through a “moral decision-making” process before getting engaged in a moral act in the diagnosis, treatment and care of patients. Managing this process effectively enables them to take the right actions for the diagnosis, treatment and care of patients. It is expected from healthcare professionals to be equipped with methodology required to choose the right in the moral decision-making process (2,18).

There is a need to determine the methodology for moral decision-making and then to make healthcare professionals develop awareness of moral acts and comprehend how to act morally in daily healthcare practices. Healthcare providers frequently need to make quick decisions in the hectic work schedule. Because of the nature of the

profession, they are expected to make the right decision at the right time with the awareness of ethical responsibilities.

Considering that the number of studies on moral intelligence is few, the discussions related to demographic data are based on previous research findings about not only moral intelligence but also its parameters—empathy, respect, justice, tolerance, politeness, self-control, conscience, and equality.

In the present study, the average age of the healthcare professionals ($n=789$) was $36,44 \pm 9,52$. Some results are comparable (19-21) while some are different from the average age found in this study (22).

In this research, 517 (65,5%) healthcare professionals were women, and 272 (34,5%) were men. In comparable studies, the number of female professionals were higher than the number of men (3,23-26).

In this research, 538 (68,2%) healthcare professionals were married. In the literature, there are studies supporting our findings (3) as well as studies whose results are not consistent with ours (27).

In this study, 485 (61,5%) of the participants had children. 552 (70,0%) reported that their level of income was middle, high or very high. These rates are consistent with findings of similar studies related to having children and level of income (3,27-32). The participants of this study were either employed in Eskişehir in the public sector (653, [82,8%]) or in the private sector (136, 17,2%). The distribution of the participants by the public and the private sector is consistent with the findings of Korkmaz, Yağbasan et al. and Yavuz (33-35), but is inconsistent with Işık et al. (36). With regard to the participants' length of work experience, our findings are consistent with those of Işık, Korkmaz, Hasan Gül, and Bağcı (32,33,37,38), but inconsistent with those of Kahriman et al. (28).

In this study, 469 (59,5%) healthcare professionals were working less than ten hours per day while the remaining 320 (40,5%) professionals

were working 10 hours or more per day. With regard to the participants' daily working hours, our findings are consistent with the findings of Kahriman et al. and Çelen et al., but different from the findings of İlhan et al. and Ünal et al. (28,39,40).

In the present study, 341 (43,2%) professionals reported that they did not work outside normal working hours while the frequency of on-call work was up to four times a week in 448 (56,8%) professionals. The nature of profession frequently requires healthcare providers to work long hours during the day and outside of normal working hours. In their study on the effects of on-call work on cognitive functions of residents, Kaya et al. revealed that on-call work increased depressive feelings among residents, causing anxiety disorder and attention deficit (41). The results of our study suggest that the frequency of on-call work is likely to stunt moral intelligence and related skills.

In this study, 268 (34,0%) healthcare professionals had a family member receiving continuous healthcare in a hospital. Satisfaction of patients that receive continuous healthcare services is of particular importance for medical outcomes. An illness changes the lives of family members and other care providers, as well as the patient (42,43). Thus, in this study it was expected that healthcare professionals with such experience would be more empathetic, fair and polite towards patients.

According to our research findings, the mean and the Cronbach's alpha for the equality factor were quite high, i.e. 4,46 and 0,922. The mean and the Cronbach's alpha values were respectively 4,42 and 0,858 for justice, 4,27 and 0,910 for empathy, 4,19 and 0,840 for self-control, 4,18 and 0,799 for tolerance, 4,18 and 0,722 for politeness, and 4,08 and 0,874 for moral intelligence.

In McComas et al. and Tüfekçi et al. studies on perception of justice, the mean scores and the Cronbach's alpha values of questions related to equality were comparable with the results in our study. With regard to the mean and the Cronbach's alpha value of justice, moral intelligence and tolerance, our results are consistent with the findings of previous studies (44,45). With respect to empathy, our findings are consistent with those of Es et al., but different from those of Loureiro et al.

The internal consistency regarding empathy was high in our study(44-51).

With respect to politeness, our findings are consistent with those of Basim et al.(52), but different from those of Mccomas et al.(44). The internal consistency regarding politeness was high in our study.

In the present study, with regard to equality, empathy, justice, moral intelligence, tolerance, politeness and self-control, there was no difference by gender ($p>0,05$). The participants' approach to ethical problems and values may vary in some situations. It is known that, today, ethical problems have been increasing in work environments. In Örselli's study(16) there was no difference in responses by gender with regard to the role of factors such as honesty, impartiality and equality, prestige, trust and non-profit, and responsibility that support the ethical decision-making process. Akbaba et al. focused on the effect of gender on ethical decision-making, and found out that gender did not play a significant role in this process. Our findings are compatible with this studies(53).

The variable of "having children" caused a statistical difference only in the equality factor ($p<0,05$). The difference was not statistically significant with regard to other factorss. With regard to the effect of having children on the dimension of empathy ($p>0,05$), our results were consistent with those of Kahriman et al(28) and different from those of Özcan's study on empathy skills of nurses. Comparable with our results, previous studies didn't show any relationship between having children and the perception of distributive justice and equality(32).

In the present study, the scores of private sector employees were higher than the scores of public sector employees with regard to equality and justice. Organizational justice and equality are expected in healthcare services. Studies showed that working in an equal and just organizational culture increases employees' motivation(54). Inequality cause significant problems in healthcare provision. Compared to the public sector, private sector is a work environment where competition is heavier, there is less job security and economic concerns are greater(54-56). Private sector em-

ployees are generally paid better; however, they work under heavier conditions in terms of working hours and workload. In the present study, it was found out that private sector employees gave more importance to justice and equality – a result that might be linked to their working conditions. Our research findings are consistent with findings in the literature(32-34).

The present study reveals a significant relationship between working in the private sector and the concepts of justice and equality. Fair and equal treatment is of particular importance for job satisfaction. If they notice that the treatment is not equal, their job satisfaction is likely to reduce. As public employees are accountable to the state and the hierarchy is less inflexible in the public sector, managers in this sector are less tolerant and less inclined to show respect and kindness and to treat equally. The findings reported in the literature are consistent with our findings(57-60).

In the present study, there was no statistically significant difference between the group that had a family member receiving continuous treatment and the group without such a family member with all factors ($p>0,05$).

Ozdemir et al. also found that the presence of any illness in the family did not have any effect on empathy(61). An illness or disorder causes people to lead a new life. Illness leads to changes in life standards of not only the patient but also their family members and friends(62). Thus, it was expected in this study that the participants' responses would be different if they had a family member living with an illness. However, we did not get the expected results probably because only a small proportion of the healthcare professionals that participated in this study had family members receiving continuous healthcare services. Individuals with leadership capacity may have positive traits and use these traits in professional life without the need to identify themselves with others.

Our results indicated that marital status had effects on equality ($p<0,05$), moral intelligence ($p<0,05$), and justice ($p<0,05$). Shapiro et al. reported in their study with 28 participants that patients expected physicians to be polite, friendly

and respectful. At the end of the study, they listened to patients' experiences and found that all patients expected politeness, friendliness and respect regardless of age, marital status and cultural background. With regard to equality, our results revealed that individuals putting themselves on an equal footing to others associated equality with parameters such as respect, conscience and intelligence. The high rate of equality expectation reported in our study is consistent with Shapiro et al. results, i. e. patients expecting respect, friendliness and politeness from healthcare professionals and expecting to see themselves on an equal footing to healthcare providers. These findings are important in that they not only refer to equality in terms of rights but also bring about a broader definition of equality encompassing respect, politeness and conscience in the field of healthcare provision(63).

Several studies reported that the relationship between parameters of moral intelligence and marital status was not statistically significant. This is comparable with the findings of our study(64).

In the present study, the difference between marital status groups was significant with regard to the parameter of justice ($p < 0,05$). This is consistent with findings of some studies and inconsistent with findings of some others(65,66). Employees' expectations from their organizations generally concentrate on justice, equality and respect(54,67). These findings support the high mean and percentile scores of equality, moral intelligence and justice in our study.

Our research findings further suggested that the difference between income level groups was significant with regard to the factor of empathy ($p < 0,05$). A healthcare professional who is familiar with and aware of patients' feelings and who is able to make patients feel this awareness is more likely to build an effective communication with patients(68,69). Several studies acknowledge that good communications skill is an important factor in ensuring patients' adherence to treatment. Unlike our results, some studies revealed no correlation between income level and empathy(61,70).

The present study showed that the difference between groups based on the length of experience

was significant with regard to the factor of equality ($p < 0,05$). In the literature, there is a consensus on the importance of providing healthcare services to all people under equal conditions regardless of religion, language, age, gender and level of income. The studies further highlight that healthcare providers are expected to be highly sensitive about differences between human beings, and that employees that have developed this sensitivity are less inclined to personal aggression(71,72).

Daily working hours play a significant role in the politeness factor ($p < 0,05$). People that are influenced by others' decisions and actions, give importance to others' opinions, protect their colleagues' rights and adopt a constructive approach to emerging problems serve as a model for creating a politeness culture in the workplace(73). Ann Gallagher indicates that spending extra time for someone is politeness and that this attitude has a positive effect on every person(74). It is important to ensure that healthcare professionals work under normal conditions to motivate them to develop awareness of the importance of politeness and to build a culture based on politeness in healthcare organizations(75). As politeness is a factor contributing to recovery, it needs to be a functioning component of healthcare provision(76). Wiesing's study highlighted that favorable working hours contributed to building a more harmonious communication between patients and healthcare professionals and hence to providing more qualified healthcare services(77).

The present study also revealed a significant relationship between on-call work and the equality factor ($p < 0,05$). The regulation on the Management of Inpatient Healthcare Facilities, updated on 20/01/2016, specifies the rules and procedures regarding working outside normal working hours, i. e. on-call work for healthcare providers. It is important that a hospital management distributes on-call work equally and fairly among employees. In our study, the presence of a relationship between on-call work and perception of equality points to the need for adopting more effective policies regarding working outside normal working hours in the healthcare sector(78).

This study also showed a difference between age groups with regard to the perception of equality

ty ($p<0,05$)(79-81). The results of some studies are comparable with ours while some others are not(3,82-84).

Moral intelligence is an ethical leadership trait. Leadership traits comprise innate as well as acquired characteristics. People with leadership traits speak clearly, treat fairly and equally to all employees, build empathy, are respectful, conscientious, polite and tolerant, use self-control skills, are always aware of their behaviors and able to change their behaviors in a work environment. These leaders are respectful to rights of all stakeholders(85).

The results of our study suggest that healthcare professionals give importance to showing respect to patients, empathy is an important factor in healthcare communication and plays a facilitating role in getting information about patients, mental acceptance is required to achieve the goals in future plans, healthcare services are based on trust, patients need to trust healthcare professionals, and healthcare professionals are sensitive about trust from an ethical perspective. Almost all volunteers that participated in this study had self-respect, believed that they were able to think rationally, and paid attention to conscientious assessment of a "good" behavior.

The relationship between healthcare professionals and patients is asymmetrical. Our results show that healthcare professionals uphold respect for all people, patients and themselves, tend to see all people and patients on an equal footing to themselves and they expect respect from all other people, and believe every person worthy of respect.

Healthcare professionals' responses further indicate that they support patients' individuality, tend not to make any discrimination between patients, and treat fairly to all patients. Healthcare professionals that participated in our study were aware that discrimination based on individual differences is likely to jeopardize patients' individuality and right to access healthcare services.

Healthcare professionals agree that moral values are of particular importance in healthcare service provision. This shows that healthcare profes-

sionals need moral values as well as universally accepted ethical values in their working environment.

Moral intelligence and its parameters are related to mental decision-making capacity used before getting engaged in a moral act. Moral intelligence helps physicians, nurses and patients, who are in a sort of ethical relationship in healthcare service provision, to build effective communication. An act based on moral intelligence capacity plays a facilitating role in the relationship between healthcare professionals and patients, and reduces problems among healthcare professionals. Effective communication also helps healthcare professionals to solve communication problems arising from gender, age, culture, experience, position and inequality.

After our work

What the moral Intelligence is and what benefits it can provide to those who have leadership qualifications must be revealed by the experts of the subject. In addition, training should be provided to increase the awareness and awareness of health professionals, and trainings should be increased in order to provide needs with a critical perspective.

It is thought that it would be appropriate to create special areas in order to ensure the applicability of "Moral Intelligence and parameters" for all healthcare professionals in hospitals.

All of the authors declare that they have all participated in the design, execution, and analysis of the paper, and that they have approved the final version. Additionally, there are no conflicts of interest in connection with this paper, and the material described is not under publication or consideration for publication *Acta Bioethica*.

Acknowledgments

This study was supported by Osmangazi University Research Foundation, Grant Number: 2015-914. We would like to thank all the doctors and nurses for their excellent cooperation.

		Physicians and Nurses	
		Mean: 36,44±9,52	
		Number	Percentage
Gender	Female	517	65,5%
	Male	272	34,5%
Marital Status	Single	216	27,4%
	Married	538	68,2%
	Divorced	35	4,4%
Having Children	Yes	485	61,5%
	No	304	38,5%
Income Level	Very high	34	4,3%
	High	213	27,0%
	Middle	305	38,7%
	Low	201	25,5%
	Very low	36	4,6%
Public vs. Private Sector Employment	Public Healthcare Organization	653	82,8%
	Private Healthcare Organization	136	17,2%
Length of Experience	Less than 1 year	56	7,1%
	1-5 years	182	23,1%
	6-10 years	114	14,4%
	11-20 years	241	30,5%
	More than 20 years	196	24,8%
Daily Working Hours	4 hours	3	0,4%
	6 hours	10	1,3%
	8 hours	456	57,8%
	10 hours	119	15,1%
	More than 10 hours	201	25,5%
Weekly Frequency of Working Outside Normal Working Hours	1	150	19,0%
	2	160	20,3%
	3	91	11,5%
	4	47	6,0%
	None	341	43,2%
Presence of Family Members Receiving Continuous Healthcare	Yes	268	34,0%
	No	521	66,0%

Table 1. Distribution of the participants by socio-demographic characteristics.

Sub-scales	Mean Standard Deviation	Cronbach's Alpha
Equality	4,46±,532	0,922
Empathy	4,27±,541	0,910
Moral Intelligence	4,08±,619	0,874
Justice	4,42±,554	0,859
Tolerance	4,18±,583	0,799
Self-control	4,19±,632	0,840
Politeness	4,18±,654	0,772

Table 2. Distribution of mean scores of sub-scales in the “Survey for Measuring Moral Intelligence in the Provision of Healthcare Services”.

p	Equality	Empathy	Moral Intelligence	Justice	Tolerance	Self- control	Politeness
Gender	0,246	0,380	0,061	0,871	0,612	0,235	0,745
Having Children	0,025	0,403	0,140	0,055	0,096	0,612	0,154
Public vs. Private Sector Employment	0,001	0,337	0,124	0,026	0,174	0,698	0,785
Presence of Family Members Receiving Continuous Healthcare	0,283	0,560	0,196	0,462	0,946	0,958	0,126

Table 3. Mann-Whitney U test results for sub-scales of the “Survey for Measuring Moral Intelligence in the Provision of Healthcare Services”

p	Equality	Empathy	Moral Intelligence	Justice	Tolerance	Self- control	Politeness
Marital Status	0,007	0,881	0,011	0,034	0,456	0,118	0,586
Income Level	0,368	0,014	0,783	0,619	0,720	0,362	0,155
Length of Experience	0,037	0,445	0,141	0,245	0,855	0,116	0,929
Daily Working Hours	0,523	0,534	0,253	0,139	0,306	0,316	0,007
Frequency of Working Outside Normal Working Hours	0,000	0,456	0,400	0,230	0,628	0,928	0,784
Age Groups	0,002	0,813	0,457	0,207	0,271	0,299	0,657

Table 4. Kruskal-Wallis test results for sub-scales of the “Survey for Measuring Moral Intelligence in the Provision of Healthcare Services”.

References

1. Cakar U, Arbak Y. Modern Yaklaşımlar Işığında Değişen Duygu-Zekâ İlişkisi Ve Duygusal Zekâ. *DEUSBED* 2004; 6(3): 1-26.
2. Lennick D, Kiel F. *Moral Intelligence: Enhancing Business Performance and Leadership Success* FT Press. Pearson Prentice Hall; 2007: 1-336.
3. Kruger T. *Moral Intelligence: The Construct and Key Correlates*. Thesis: University of Johannesburg 2012; 1-298.
4. Borba M. 2001. *Building moral intelligence: the seven essential virtues that teach kids to do the right thing*. Vol.192. San Francisco.
5. Di Pippo AF. *The Concept of Poiesis in Heidegger's. An Introduction to Metaphysics*. Paper presented at the Thinking Fundamentals. IWM Junior Visiting Fellows Conferences; 2000.
6. Birligi DH. *Tip etiği el kitabı*. (M. Civaner Trans.) Fransa; 2005.
7. Yildiz et al. Çok Değişkenli İstatistiklerle Tüketicilerin Sivi Yağ Ambalaj Tercihlerine Göre Bölümlendirilmesi. *Dumlupınar University Journal of Social Science* 2012; 1(32): 1-11.
8. Lawshe CH. A Quantitative Approach to Content Validity. *Personnel Psychology* 1975; 28(4): 563-75.
9. Allahyari et al. Development and Evaluation of a New Questionnaire for Rating of Cognitive Failures at Work. *International Journal of Occupational Hygiene* 2011; 3(1): 6-11.
10. Büyüköztürk S. *Sosyal Bilimler İçin Veri Analizi El Kitabı*. Ankara: Pegem; 2017: 1-216.
11. Cetin B, Doğan T, Sapmaz F. The Turkish Adaptation of Brief Fear of Negative Evaluation Scale: The Validity and Reliability. *Study Education & Science* 2010; 35(156): 205-17.
12. Sandal M. *Factor Analysis for Level of Ordinal Measurement and an Application*. Master of Science Thesis. Eskisehir: ESOGU Department of Statistics; 2015: 1-77.
13. Schumacker RE, Lomax RG. *A Beginner's Guide to Structural Equation Modeling*. London: Psychology Press; 2004: 1-510.
14. Gamgam H, Altunkaynak B. *Parametrik Olmayan Yöntemler*. Seçkin: Ankara; 2012.
15. Martin DE, Austin B. Validation of the Moral Competency Inventory Measurement Instrument: Content, Construct, Convergent and Discriminant Approaches. *Management Research Review* 2010; 33(5): 437-45.
16. Orselli E. 2010. *Türkiye'de Toplumsal Ve Yönetişel Etik Değerler İle İnkilemler: Uygulamalı Bir Çalışma*. Selçuk Üniversitesi Sosyal Bilimler Enstitüsü; 2010.
17. Sahin F. The Relationship between Creativity and Intelligence: New Evidence. *Elementary Education Online* 2014; 13(4): 1516-30.
18. Ghosh A. Understanding Medical Uncertainty: A Primer For Physicians. *JAPI* 2004; (52): 739-742.
19. Seşen H. Adalet Algisinin Tükennmişliğe Etkisi: İş Tatmininin Aracı Değişken Rolünün Yapısal Eşitlik Modeli İle Testi. *Savunma Bilimleri Dergisi* 2010; 9(2): 67-90.
20. Jonas E, Maier GW, Kissling W, Hamann J. Is Interpersonal Fairness In The Doctor-Patient Relationship Associated With Long-Term Compliance In Patients With Schizophrenia? *Psychology* 2013; 4(06): 45.
21. Kadioğlu et al. Ethical Problems in Geriatrics: Views of Turkish Primary Healthcare Professionals. *Geriatrics & Gerontology International* 2013; 13(4): 1059-1068.
22. Faramarzi M et al. The Role of Moral Intelligence and Identity Styles in Prediction of Mental Health Problems in Healthcare Students. *Health* 2014; 6(08): 664.
23. Akbari A. Investigation of Moral Intelligence principles and Knowledge Management Dimensions Relationship with Organizational Learning from Teachers' Viewpoint. *RRAMT* 2013; 38(2): 94-102.
24. Razavian SA, Islami HDDAH. Effect of moral intelligence on customer satisfaction: A study on yazd customs officials and customers. *Indian J. Sci. Res* 2014; 4(6): 68-6.
25. Hossein et al. Innovative organizational climate, moral intelligence and attitude toward change. *MAGNT Research Report* 2014; 3(2): 527-535.
26. Najafian et al. Exploring the relationship between moral intelligence and achievement motivation among academic professors of Iran universities. *International Journal of Management and Humanity Sciences* 2014; 3(9): 3023-30.
27. Morrison et al. Empathy for positive and negative emotions in social anxiety disorder. *Behaviour research and therapy* 2016; (87): 232-242.
28. Kahrman et al. The effect of empathy training on the empathic skills of nurses. *Iranian Red Crescent Medical Journal* 2016; 18(6): 1-11.

29. Ozcan H. Hemşirelerin Empatik Eğilim Ve Empatik Becerileri: Gümüşhane Örneği. *Gümüşhane Üniversitesi Sağlık Bilimleri Dergisi* 2012; 1(2): 1-9.
30. Budak G, Sürgevil O. Tükenmişlik Ve Tükenmişliği Etkileyen Örgütsel Faktörlerin Analizine İlişkin Akademik Personel Üzerinde Bir Uygulama. *DEUIIBFD* 2013; 20(2): 1-12.
31. Beyazsaçlı MS, Bulut N. *Devlet Hastanelerinde Görev Yapan Hemşirelerin İş Doyum Düzeylerinin İncelenmesi*. Paper presented at the International Conference On New Trends In Education and Their Implications, 1-13 November, 2010.
32. Işık ÖG. Duygusal Tükenmişlik ve Kurumsal Adalet İlişkisi: Özel Bir Hastanede Görev Yapan Hemşireler Üzerine Bir Araştırma. *Intermedia International e-Journal* 2016; 2(3): 372-91.
33. Korkmaz S. *Hastanelerde Doktor, Hemşire ve Ebelerin Motivasyonunu Etkileyen Faktörler Bir Uygulama*. (Master Thesis). Çag Üniversitesi, Sosyal Bilimler Enstitüsü. İçel; 2008.
34. Yağbasan M, Çakar F. Doktor-Hasta İlişkisinde Dile ve Davranışa Dayalı İletişimsel Sorunları Belirlemeye Yönelik Bir Alan Araştırması. *SUSBED* 2008; (15): 609-29.
35. Yavuz E. Kamu Ve Özel Sektör Çalışanlarının Örgütsel Adalet Algılamaları Üzerine Bir Karşılaştırma Çalışması. *Doğuş Üniversitesi Dergisi* 2011; 11(2): 302-12.
36. Işık O, Uğurluoğlu O, Akbolat M. Sağlık Kuruluşlarında Örgütsel Adalet Algılarının Örgütsel Bağlılığa Etkisi. *Doğuş Üniversitesi Dergisi* 2012; 13(2): 1-8.
37. Ince HG. Etik Liderlik ve Örgütsel Adalet Arasındaki İlişkiler Üzerine Bir Araştırma. *Ömer Halisdemir Üniversitesi İktisadi ve İdari Bilimler Fakültesi Dergisi* 2014; 7(2): 1-13.
38. Bağcı Z. Hemşirelerin Örgütsel Adalet Algılarının İş Tatminleri Üzerindeki Etkisini İncelemeye Yönelik Bir Araştırma. *Pamukkale University Journal of Social Sciences Institute* 2016; (25): 1-9.
39. Celen et al. Ankara Onkoloji Eğitim Hastanesinde Çalışanların İş Doyumu. *Hacettepe Sağlık İdaresi Dergisi* 2004; 7(3): 1-8.
40. Unal S, Karlıdağ R, Yoloğlu S. Hekimlerde Tükenmişlik Ve İş Doyumu Düzeylerinin Yaşam Doyumu Düzeyleri İle İlişkisi. *Klinik Psikiyatri* 2001; 4(2): 113-18.
41. Yavaşcaoglu et al. Anestezi Asistanlarında Nöbetin Bilişsel İşlevler Ve Ruhsal Durum Üzerine Etkisi. *Uludağ Üniversitesi Tıp Fakültesi Dergisi* 2007; 33(2): 75-79.
42. Onsüz MF et al. İstanbul'da Bir Tıp Fakültesi Hastanesinde Yatan Hastaların Memnuniyet Düzeyi. *Marmara Medical Journal* 2008; 21(1): 33-49.
43. Hiçdurmaz D, İnci FA. Eşduyum Yorgunluğu: Tanımı, Nedenleri Ve Önlenmesi. *Psikiyatride Güncel Yaklaşımlar* 2015; 7(3): 295-303.
44. McComas et. al. Individuals' Willingness to Talk To Their Doctors About Clinical Trial Enrollment. *Journal of Health Communication* 2010; 15(2): 189-204.
45. Tüfekci N, Asıgbulmuş H. The Factors that Effective in the Choice of Hospital and Patient Satisfaction: The Sample of Isparta. *Journal of Current Researches on Health Sector* 2016; 6(2): 1-11.
46. Heponiemi et al. The effects of ownership, staffing level and organizational justice on nurse commitment, involvement, and satisfaction: a questionnaire study. *International Journal of Nursing Studies* 2011; 48(12): 1551-1561.
47. Gillet et al. The Mediating Role of Organizational Justice In The Relationship Between Transformational Leadership And Nurses' Quality Of Work Life: A Cross-Sectional Questionnaire Survey. *International Journal of Nursing Studies* 2013; 50(10): 1359-67.
48. Mottaghi M. et al. The Relationship Between the Leadership Styles and Moral Intelligence. *Bulletin of Environment. Pharmacology and Life Sciences* 2014; 3(Special Issue II): 429-433.
49. Moghadas M. Investigate of Relationship Between Moral Intelligence and Distress Tolerance in Isfahan Staff. *International Journal* 2013; 2(2): 2307-37.
50. Martin DE, Austin B. Validation of The Moral Competency Inventory Measurement Instrument: Content, Construct, Convergent and Discriminant Approaches. *Management Research Review* 2012; 33(5): 437-51.
51. Hosseini et al. The Effect of Managers' Moral Intelligence on Business Performance. *International Journal of Organizational Leadership* 2013; 2(2): 62-71.
52. Basım HN, Seşen H. Kontrol Odağının Çalışanların Nezaket Ve Yardım Etme Davranışlarına Etkisi Kamu Sektöründe Bir Araştırma. *Selçuk Üniversitesi Sosyal Bilimler Enstitüsü Dergisi* 2006; (16): 159-168.
53. Akbaba A, Erenler E. Etik Karar Verme Ve Cinsiyet Farklılıkları Üzerine Bir Araştırma. *Dumlupınar Üniversitesi Sosyal Bilimler Dergisi* 2011; 31: 247-264.
54. Mathabad et al. Organizational Justice and the Shortage of Nurses in Medical & Educational Hospitals, in Ur-

- mia-2014. *Global Journal of Health Science* 2016; 8(2): 99.
55. Morrow MR. Fairness and Justice in Leading-Following: Opportunities to Foster Integrity in the First 100 Days. *Nursing Science Quarterly* 2012; 25(2): 188-93.
 56. Puschel K, Furlan E, Dekkers W. Social Health Disparities in Clinical Care: A New Approach to Medical Fairness. *Public Health Ethics* 2017; 10(1): 78-85.
 57. Eğinli AT. Çalışanlarda İş Doyumu: Kamu Ve Özel Sektör Çalışanlarının İş Doyumuna Yönelik Bir Araştırma. *Atatürk Üniversitesi İktisadi ve İdari Bilimler Dergisi* 2009; 23(3): 1-9.
 58. Yavuz E. Kamu Ve Özel Sektör Çalışanlarının Örgütsel Adalet Algılamaları Üzerine Bir Karşılaştırma Çalışması. *Doğuş Üniversitesi Dergisi* 2011; 11(2): 302-312.
 59. Turhan MK. Kamu Görevlileri Bakımından İşyerinde Psikolojik Taciz (Mobbing) ve Hukuki Korunma Yolları. *Journal of Work and Organizational Psychology* 1996; 5(2): 167.
 60. Harun K. Kamu ve Özel Sektör Kuruluşlarının Örgütsel Kültürünün Analizi ve Kurum Kültürünün Çalışanların Örgütsel Bağlılığına Etkisi. *Maliye Dergisi* 2008; 135-70.
 61. Ozdemir et al. Levels of empathy and its relations with job satisfaction among nurses in an University Hospital. *Smyrna Tıp Dergisi* 2014; 30: 1-9.
 62. Mete HE. Kronik Hastalık Ve Depresyon. *Klinik Psikiyatri* 2008; 11: 3-18.
 63. Shapiro J, Mosqueda L, Botros D. A Caring Partnership: Expectations of ageing persons with disabilities for their primary care doctors. *Family practice* 2003; 20(6): 635-41.
 64. Ozdemir AY, Ozdemir A, Duygusal Zeka Ve Çatışma Yönetimi Stratejileri Arasındaki İlişkilerin İncelenmesi: Üniversitede Çalışan Akademik Ve İdari Personel Üzerine Uygulama. *Selçuk Üniversitesi Sosyal Bilimler Enstitüsü Dergisi* 2007; (18): 393-410.
 65. Başar U. *Örgütsel Adalet Algısı, Örgütsel Özdeşleşme ve İş Tatmini Arasındaki İlişkilere Yönelik Görgül Bir Araştırma*. (Master Thesis), Kara Harp Okulu, Savunma Bilimleri Enstitüsü; 2011.
 66. Akduman, G, Yüksek Bilgili Z, Hatipoğlu Z. Medeni Durumuna Göre Örgütsel Adalet Algısı. *Uluslararası Akademik Yönetim Bilimleri Dergisi* 2015; 1(1): 1-9.
 67. Rafii F, Nasrabadi AN, Forooshani ZSD. Expectation of Fairness: A turning point in the professional satisfaction of Iranian nurses. *Electronic Physician* 2016; 8(6): 2524.
 68. Díez-Goñi N, Rodríguez-Díez M. Why teaching empathy is important for the medical degree. *Revista Clínica Española* 2017 (English Edition).
 69. Fine VK, Therrien ME. Empathy in the doctor-patient relationship: skill training for medical students. *Academic Medicine* 1977; 52(9): 752-757.
 70. Gülbahçe A. Rehberlik ve Psikolojik Danışmanlık Programını Tercih Edecek Olan Öğrencilerin Empatik Eğilim ve Empatik Becerilerinin Bazı Değişkenlere Göre İncelenmesi. *AMUEFEBD* 2016; 7(1): 1-15.
 71. Tarhan M. et al. Bir Eğitim Araştırma Hastanesinde Çalışan Hemşirelerin Farklılıklara ve Farklılık İklimine Yönelik Algılarının Belirlenmesi. *Hemşirelikte Araştırma Geliştirme Dergisi* 2016; 18(1): 1-13.
 72. Sliter et al. Inching toward inclusiveness: diversity climate, interpersonal conflict and well-being in women nurses. *Sex Roles* 2014; 71(1-2): 43-54.
 73. Karaman A, Aylan S. Örgütsel Vatandaşlık. *Kahramanmaraş Sütçü İmam Üniversitesi İktisadi ve İdari Bilimler Fakültesi Dergisi* 2012; 2(1): 35-48.
 74. Gallagher A. Acknowledging small acts of kindness. *Nursing Ethics* 2012; 19(3): 311.
 75. Buetow SA. Physician Kindness as Sincere Benevolence. *Canadian Medical Association Journal* 2013; 185(10): 928.
 76. Health I. Kindness in healthcare: what goes around. In: *British Medical Journal Publishing Group* 2012.
 77. Wiesing U. Ethical aspects of limiting residents' work hours. *Bioethics* 2007; 21(7): 398-405.
 78. Yataklı Tedavi Kurumları İşletme Yönetmeliği, Güncellenme Tarihi: 20/10/2016, Sağlık Bakanlığı, Yayımlandığı R. Gazetesinin Tarihi: 13.1.1983, N° 17927.
 79. Deniz S, Cimen M, Ozsari H. Sağlık Kuruluşu Çalışanlarının Örgütsel Adalet Algısını Belirlemeye Yönelik Bir Araştırma. *International Journal of Social Science* 2016; (42): 329-43.
 80. Chaitoff et al. Associations between physician empathy, physician characteristics, and standardized measures of patient experience. *Academic Medicine* 2017.
 81. Razavian SA, Islami HD. Effect of moral intelligence on customer satisfaction: a study on Yazd customs officials and customers. *Indian J. Sci. Res* 2014; 4(6): 681-686.
 82. Sahin ZA, Ozdemir F. Hemşirelerin İletişim Ve Empati Beceri Düzeylerinin Belirlenmesi. *Jaren* 2015; 1(1): 1-7.

83. Geller G, Tambor ES, Chase GA, Holtzman NA. Measuring physicians' tolerance for ambiguity and its relationship to their reported practices regarding genetic testing. *Medical Care* 1993; 989-1001.
84. Gerace A, Oster C, O'Kane D, Hayman CL, Muir-Cochrane E. Empathic processes during nurse-consumer conflict situations in psychiatric inpatient units: A qualitative study. *International Journal of Mental Health Nursing* 2016. Wiley Online Library.
85. Hasan G, Ince H. Etik Liderlik ve Örgütsel Adalet Arasındaki İlişkiler Üzerine Bir Araştırma. *Ömer Halisdemir Üniversitesi İktisadi ve İdari Bilimler Fakültesi Dergisi* 2014; 7(2): 1-11.

Received: July 2, 2020

Accepted: July 20, 2020